

## TECHNICAL SPECIFICATION SHEET FOR TEM200L-UL

Marketing Information	
Code	TEM200L-UL
Model	TEM200
Capacity [ft <sup>3</sup> ]	28
Capacity [lt]	792
Market/Country	National/Exportation
Dimension with packaging [in]*	<b>L:81.25 D:40.62 H:52.15</b>
Dimension without packaging [in]*	<b>L:74 D:35.82 H:50.39</b>
Accessories	
User's Guide	Yes
Safety Recommendations	Yes
Wheels	Yes
Liquid Evaporating Tray	Optional
Temperature Control	Digital
Technical Characteristics	
Refrigerant	R134a
Evaporation Temperature [°F]	10.4
Condensation Temperature [°F]	113
Defrost Method	Compressor break time
Optimal Temperature Range ** [°F]	32 °F to 40 °F
Shelves Line	
Quantity (Pieces)	4
Materials	Steel
Clamps	Adjustable
Colors	Stainless Steel
Doors	
Quantity (Pieces)	2
Door Type	Sliding
Door Construction	Glass
Materials	Glass-Plastic
Colors	Black
Closing method	Manual
Glass Quantity in Sandwich	2
Handles	
Quantity (Pieces)	2
Materials	Steel
Color	Black
Finished	
Interior	Preprinted white sheet, stainless steel and black
Exterior	Preprinted white sheet, stainless steel and black
Isolation mode	High density polyurethane
Electrical Characteristics	
Nominal Voltage [V]	115
Nominal Current [A]	6.5
Frecuency [Htz]	60
Method of Lighting	LED
Cooling System	
Compressor (HP)	(1/3)
Condenser	Forced Ventilation
Evaporator	Natural Convection
Expansion Method	Capillary tube

Specified by NSF\*\*

Note: All controllers reach temperature until 75°F

\* L= Length, D= Depth, H= Height

REVISION: 2  
DATE: 17/12/12